

■ PANTONE 374c
 ■ PANTONE 374c 30%
 ■ M100%
 ■ C100% M100%
 ■ K100%

複方15x8.3cm

Ingredient(s): Each 6.0 g contains the extracts equivalent to raw herb

成分：每6.0公克中含提取物相当于原生药

当归	Angelicae Sinensis Radix	1.4g
川芎	Chuanxiong Rhizoma	1.4g
白芍	Paeoniae Alba Radix	1.6g
熟地黄	Rehmanniae Radix Praeparata	1.4g
人参	Ginseng Radix	1.2g
白茯苓	Atractylodis Macrocephalae Rhizoma	8.0g
赤芍	Poria	2.0g
陈皮	Citri Reticulatae Pericarpium	1.6g
半夏	Pinelliae Rhizoma Praeparata	1.4g
桂枝	Cinnamomi Ramulus	0.6g
胡黄连	Bupleuri Radix	0.8g
羌活	Notopterygii Rhizoma et Radix	1.0g
防风	Saposhnikovia Radix	1.0g
龙胆	Gentianae Macrophyllae Radix	1.2g
秦艽	Achyranthis Bidentatae Radix	1.2g
牛膝	Glycyrrhizae Radix et Rhizoma	0.8g
甘草	Zingiberis Rhizoma Recens	1.2g
大枣	Jujubae Fructus	1.2g
以上生药制成浸膏(乾)		4.0g

(生药与浸膏比例29:4=7.25:1)
 许可证字号：台湾卫署药制字第037785号

Batch No.:

Expiry Date:



“勝昌”

202080

八仙汤
浓缩散

Ba Xian Tang

Extract Powder “Sheng Chang”

【中药浓缩制剂】

重量 **Net Wt.: 200 g**

Indication(s):
 Syndrome of wind-dampness, or numbness.

适应症：
 风湿、麻痹。

Dosage :
 For Adults: 2.0 g each time, 2~3 times per day before meal with luke-warm water.
 Children: The dose is gradually decreased by age. Use only as directed by physician.

用法用量：
 成人每次服用2.0公克，每日2~3次，在饭前一小时以温开水送服。儿童依年龄递减之。本药须由医师处方使用。

Contraindication(s): Contraindicated in syndrome of yin deficiency accompanied with dry cough, body fluid depletion and thirst, in hemorrhagic disorders and in dry-phlegm syndrome. Use with caution in pregnancy.

禁忌：阴虚燥咳，津伤口渴，血证及痰燥者禁服，孕妇慎服。

No known side effects.



Manufacturer :
 SHENG CHANG PHARMACEUTICAL CO., LTD.
 ZHONGLI FACTORY (G.M.P.) Taoyuan, Taiwan
Importer :
 LONG CHANG HERBAL (S) PTE LTD
 196 Pandan Loop #05-16
 Pantech Business Hub Singapore 128384

Allowed for sale as a Chinese Proprietary Medicine based on information submitted to the Authority. Consumer discretion is advised.
 根据向当局呈报的资料允许作为中成药销售。
 谨慎选用。