## 複方15x8.3cm

## Ingredient(s): Each 4.5 g contains the extracts equivalent to raw herb

成分:每4.5公克中含提取物相当于原生药 茵陈蒿 Artemisiae Scopariae Herba.....12.0g 栀 子 Gardeniae Fructus.......4.0g 大 黄 Rhei Radix et Rhizoma......4.0g 以上生药制成浸膏......3.0g (生药与浸膏比例20:3=6.67:1) 许可证字号;台湾卫署药制字第029384号



"勝昌"

210260

## 陈蒿

## Yin Chen Hao Tang

Extract Powder "Sheng Chang"

重量Net Wt.: 200 g

【中药浓缩制剂】

Manufacturer :

SHENG CHANG PHARMACEUTICAL CO., LTD. ZHONGLI FACTORY (G.M.P.) Taovuan. Taiwan Importer :

LONG CHANG HERBAL (S) PTE LTD 196 Pandan Loop #05-16

Pantech Business Hub Singapore 128384

Indication(s):

Clearing heat and removing damp.

适应症: 清热利湿。

Dosage

For Adults: 1.5 g each time, 3 times per day before meal with luke-warm water.

Children: The dose is gradually decreased by age. Use only as directed by physician.

成人每次服用1.5公克,每日3次,在饭前一小时以温开

水送服。儿童依年龄递减之。本药须由中医师处方使用。 Contraindication(s): Use with caution in pregnancy, lactation, menstruation, children and undiagnosed abdominal

symptoms such as pain, nausea or vomiting. Use with caution in individuals with cold deficiencies in spleen and stomach or with qi and blood deficiencies. Avoid prolonged use. 禁忌:孕妇、哺乳期妇女、月经期妇女、儿童以及未确

诊的腹痛、恶心、呕吐患者慎用。脾胃虚寒、血虚气弱 者慎用。避免长期服用。

Side effects: May cause nausea, vomiting and cramp-like discomfort of the gastrointestinal tract; long-term use may lead to electrolyte disturbances and aggravation of constipation with dependency.

副作用:可能引起恶心、呕吐、腹痛等症状;长期服用 可能会引起电解质紊乱及产生依赖性便秘。

Allowed for sale as a Chinese Proprietary Medicine based on information submitted to the Authority. Consumer discretion is advised. 根据向当局提呈的资料允许作为中成药销售 谨慎选用



Batch No.:

**Expiry Date:**