複方15x8.3cm

Ingredient(s): Each 12 g contains the extracts equivalent to raw herb



Batch No.: CP0311190 Expiry Date: 2026 12 01





、勝昌 €

211190

清暑益气汤

浓缩散

Qing Shu Yi Qi Tang
Extract Powder "Sheng Chang"

【中药浓缩製剂】 重量Net Wt.: 200 g

Manufacturer:

SHENG CHANG PHARMACEUTICAL CO., LTD. ZHONGLI FACTORY (G.M.P.) Taoyuan, Taiwan Importer:

LONG CHANG HERBAL (S) PTE LTD 196 Pandan Loop #05-16 Pantech Business Hub Singapore 128384 ndication(s):

Dampness-heat steaming due to the late summer, fatigued limbs, fever and vexation, spontaneous sweating and thirst, yellow stool and vacuous pulse.

适应症: 长夏湿热蒸炎、四肢困倦、身热心烦、自汗口渴、便黄、 脉虚者。

Dosage: For Adults: 4.0 g each time, 3 times per day before meal with luke-warm water.

Children: The dose is gradually decreased by age.
Use only as directed by physician.

用法用量

成人每次服用4.0公克,每日3次,在饭前一小时以温开水 送服。儿童依年龄递减之。本药须由中医师处方使用。

Contraindication(s): Contains berberine. Contraindicated in children less than I year, Gluczee-G-Phosphate Dehydrogenase (G6PD) deficient individuals, pregnant and breastfeeding women. Use with caution in individuals with summerheat damage without qi deficiency or only summer heat pattern with lever and thins:

禁忌:本品含有小檗碱。一岁以内的婴儿、葡萄糖-6-磷酸脱 氯酶缺乏症患者、孕妇及哺乳期妇女禁用。 伤暑而无气虚者或单纯暑证高热烦渴者慎用。

Side effects: Occasional nausea, vomiting, rashes and fever. Stop medication if symptoms develop. If symptoms persist after stopping medication, please consult a doctor or traditional chinese medicine practitioner.

副作用:偶有恶心、呕吐、皮疹和药热。出现此类症状时 请停药。如停药后症状持续,请咨询医生或中医师。

Allowed for sale as a Chinese Proprietary Medicine based on information submitted to the Authority. Consumer discretion is advised. 根据向当局提呈的资料允许作为中成药销售。谨慎选用。